



SYMPTOMS:

YOUR CHILD IS TOO ILL TO GO TO SCHOOL IF HE OR SHE HAS ANY OF THESE SIGNS:

- SEEMS VERY TIRED AND NEEDS BED REST. (THIS IS COMMON WITH FLU SYMPTOMS)
- · HAS VOMITING OR DIARRHEA
- BECOMES SHORT OF BREATH OR IS WHEEZING
- HAS A COUGH THAT DISRUPTS
 NORMAL ACTIVITY



SYMPTOMS: PART 2

- HAS DISTRACTING PAIN FROM EARACHE,
 HEADACHE, SORE THROAT OR RECENT INJURY
- HAS YELLOW OR GREEN DRAINAGE FROM EYE(S)
- BREAKS OUT IN A RASH; NOT ALL
- RASHES REQUIRE THAT A CHILD STAY
- HOME FROM SCHOOL SO CHECK
- WITH YOUR CHILD'S DOCTOR

YOUR CHILD SHOULD NOT GO TO SCHOOL IF THEIR TEMPERATURE IS ABOVE 100.5 F. THEY MAY SAFELY RETURN TO SCHOOL WHEN THEY ARE FEELING BETTER.

CONTAGIOUS:

YOUR CHILD SHOULD NOT GO TO SCHOOL IF THEY ARE CONTAGIOUS (IF THEY CAN SPREAD THEIR ILLNESS TO OTHERS).

EXAMPLE OF CONTAGIOUS
DISEASES: COLDS, FLU,
PINKEYE, COVID-19, STREP
THROAD, DIARRHEA,
VOMITING, CHICKENPOX, ETC.



ASK YOUR DOCTOR

IF YOUR CHILD IS SICK, ESPECIALLY WITH A CONTAGIOUS DISEASE, ASK YOUR DOCTOR WHEN THEY CAN ATTEND AGAIN.

IF YOU AREN'T SURE
ABOUT KEEPING YOUR
CHILD HOME, TALK TO
YOUR DOCTOR.

